EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|-------|--|---|---------------------|---------|---------------------|
| L2 | 1 | ((micro adj mirror adj array or MMA)and reflective adj device and(encod\$4 or encode)and optically adj variable and angle and secondary adj pattern and orimary and registration and latent adj image\$1).CLM. | US-PGPUB | OR | ON | 2009/01/16 |
| S1 | 18027 | (micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:37 |
| 82 | 40 | S1 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:37 |
| 83 | 2 | \$2 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:38 |
| S4 | 3 | S2 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:42 |
| \$5 | 84 | [("20070110317") or ("20070109643") or ("220070109643") or ("529874") or ("529874") or ("529874") or ("529874") or ("529874") or ("529874") or ("52981083") or ("5898105") or ("59981083") or ("6172363") or ("6359663") or ("6172683") or ("6559663") or ("7026830") or ("7026830") or ("701282") or ("7026830") or ("701282") or ("702002007440") or ("200200171778") or ("20020171778") or ("20030145980") or ("20050145791") or ("20050145791") or ("20050145791") or ("20050145791") or ("20050145791") or ("20050145791") or ("20050145847") or ("20050145847") or ("20050145847") or ("20050145848") or ("200501458891") or ("62688931") or ("63689911") or ("6368911") or ("6368911") or ("63689115") or ("67682115") or ("6782115") or ("678 | US-PAPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB | OR . | OFF | 2009/01/11 |

| | | ("6882737") or ("20020080992") or ("20020080994") or ("20020080994") or ("20030128862") or ("200301210805") or ("20050063027") or ("2006003027") or ("20070128748") or ("20070128748") or ("20070128748") or ("5208031") or ("6225020") or ("4370937") or ("4370937") or ("4370938") or ("1,"), FN. | | | | |
|-----|------|---|---|----|----|---------------------|
| S6 | 3 | S5 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |
| S7 | 2 | S6 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |
| S8 | 2 | S7 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |
| S9 | 143 | ((TIMOTHY) near2 (DAVIS)). INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:51 |
| S10 | 2023 | ((ROBERT) near2 (LEE)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:52 |
| S11 | 22 | ((LAWRENCE) near2 (MCCARTHY)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:52 |
| S12 | 22 | ((LAWRENCE) near2 (MCCARTHY)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:53 |
| S13 | 7 | ((GERHARD) near2 (SWIEGERS)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:53 |
| S14 | 9 | ((GERARD) near2 (WILSON)). NV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:54 |
| S15 | 1 | S9 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S16 | 1 | S15 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | OR | ON | 2009/01/11 12:55 |

| S17 | 1 | S16 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
|-------------|---|--|---|----|----|---------------------|
| S18 | 1 | S17 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S19 | 6 | S10 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:56 |
| S20 | 1 | S19 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:56 |
| S21 | 1 | S20 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S22 | 1 | \$21 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S23 | 1 | S11 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S24 | 1 | \$23 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S2 5 | 1 | S24 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S26 | 1 | \$25 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:58 |
| S27 | 1 | S11 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:58 |

| S28 | 1 | S27 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
|-------------|------|--|---|----|----|---------------------|
| S29 | 1 | S28 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
| S30 | 1 | S29 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
| S31 | 1 | S12 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |
| S32 | 1 | S31 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |
| S3 3 | 1 | S32 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |
| S34 | 1 | \$33 and(encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:01 |
| S3 5 | 3432 | 382/100,232.cds. | USPAT | OR | ON | 2009/01/11 13:02 |
| S36 | 3635 | 324/751,765.ccls. | USPAT | OR | ON | 2009/01/11 13:02 |
| S37 | 4028 | 250/310,307,311,306.cds. | USPAT | OR | ON | 2009/01/11 13:03 |
| S3 8 | 2355 | 348/760,E9.027,781.ccls. | USPAT | OR | ON | 2009/01/11 13:03 |
| S39 | 157 | 396/335.ccls. | USPAT | OR | ON | 2009/01/11 13:03 |
| S40 | 254 | 359/2.cds. | USPAT | OR | ON | 2009/01/11 13:04 |
| S41 | 5624 | 430/270.1,315,329.cdls. | USPAT | OR | ON | 2009/01/11 13:04 |
| S42 | 424 | 358/527.ccls. | USPAT | OR | ON | 2009/01/11 13:05 |
| S43 | 2271 | 526/262,264,281.ccls. | USPAT | OR | ON | 2009/01/11 13:05 |

| S44 | 1 | S35 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:07 |
|-------------|---|---|---|----|----|---------------------|
| S45 | 0 | \$18 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:16 |
| S46 | 0 | \$15 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:18 |
| S47 | 5 | \$19 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:20 |
| S48 | 0 | \$23 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:20 |
| S4 9 | 0 | \$31 and(@ad< "20030707" or @rlad< "20030707" or @prad< "20030707" or @ptad< "20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:21 |
| S50 | 3 | S19 and @ad< "20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:21 |
| S51 | 3 | S50 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S52 | 0 | SS1 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S53 | 0 | S51 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S54 | 0 | \$51 and(encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:23 |

| S55 | 0 | S51 and(encod\$4 or encode) and latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT: | OR | ON | 2009/01/11 13:23 |
|-------------|----|--|--|----|----|---------------------|
| | | | IBM_TDB | | | *** |
| S56 | 1 | S35 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:28 |
| S57 | 0 | S56 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:28 |
| S58 | 0 | S56 and(generates or obtaining) same optically adj variable | USPAT | OR | ON | 2009/01/11 13:29 |
| S59 | 0 | S56 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:29 |
| S60 | 0 | S56 and(encod\$4 or encode) same latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:29 |
| S61 | 0 | S56 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:30 |
| S62 | 0 | S36 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:30 |
| S63 | 0 | S36 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:30 |
| S64 | 1 | S37 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:31 |
| S65 | 0 | S64 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:31 |
| S66 | 0 | S64 and(generates or obtaining) same optically adj variable | USPAT | OR | ON | 2009/01/11 13:31 |
| S67 | 0 | S64 and (generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:31 |
| S6 8 | 18 | S38 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:32 |
| S69 | 2 | S68 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:32 |
| S70 | 0 | S69 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:33 |
| S71 | 0 | \$69 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:33 |
| S72 | 1 | S69 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | USPAT | OR | ON | 2009/01/11 13:38 |
| S73 | 0 | S39 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:40 |
| S74 | 0 | S72 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:40 |
| S75 | 0 | S74 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:40 |
| S76 | 0 | S72 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:41 |

| S77 | 7 | S40 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:41 |
|------|---|---|-------|----|----|---------------------|
| S78 | 1 | S77 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:43 |
| S79 | 0 | S78 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:43 |
| S80 | 0 | S78 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:43 |
| S81 | 0 | S78 and(encod\$4 or encode) | USPAT | OR | ON | 2009/01/11 13:47 |
| S82 | 1 | S78 and pattern | USPAT | OR | ON | 2009/01/11 13:47 |
| S83 | 0 | S78 and primary adj pattern | USPAT | OR | ON | 2009/01/11 13:47 |
| S84 | 0 | S78 and secondary adj pattern | USPAT | OR | ON | 2009/01/11 13:48 |
| S85 | 0 | S82 and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:49 |
| S86 | 1 | S82 and angle | USPAT | OR | ON | 2009/01/11 13:49 |
| 587 | 1 | S86 and image\$1 | USPAT | OR | ON | 2009/01/11 13:50 |
| S88 | 0 | S87 and(registrat\$3 or alignment)and pattern | USPAT | OR | ON | 2009/01/11 13:51 |
| S89 | 0 | S87 and(registrat\$3 or alignm \$3)and pattern | USPAT | OR | ON | 2009/01/11 13:51 |
| S90 | 1 | S87 and light adj source | USPAT | OR | ON | 2009/01/11 13:52 |
| S91 | 0 | S90 and photomask | USPAT | OR | ON | 2009/01/11 13:53 |
| S92 | 1 | S90 and lithography | USPAT | OR | ON | 2009/01/11 13:54 |
| S93 | 1 | S92 and (wet or dry) and etching | USPAT | OR | ON | 2009/01/11 13:55 |
| 594 | 0 | S93 and optical adj contact | USPAT | OR | ON | 2009/01/11 14:00 |
| 395 | 0 | S94 and project\$3 adj system | USPAT | OR | ON | 2009/01/11 14:00 |
| 596 | 0 | S93 and embossing adj die | USPAT | OR | ON | 2009/01/11 14:02 |
| S97 | 1 | S93 and electroplating | USPAT | OR | ON | 2009/01/11 14:03 |
| S98 | 1 | S97 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 14:03 |
| 599 | 1 | S98 and pixellated | USPAT | OR | ON | 2009/01/11 14:04 |
| S100 | 1 | S99 and diffract\$3 | USPAT | OR | ON | 2009/01/11 14:04 |

| S101 | 1 | S100 and grating | USPAT | OR | ON | 2009/01/11 14:05 |
|------|----|---|---|----|----|---------------------|
| S102 | 0 | S101 and(track-line or track adj line) | USPAT | OR | ON | 2009/01/11 14:06 |
| S103 | 0 | S101 and regular adj array | USPAT | OR | ON | 2009/01/11 14:06 |
| S104 | 0 | S101 and rectangular adj array | USPAT | OR | ON | 2009/01/11 14:07 |
| S105 | 0 | S101 and rectangular adj array | USPAT | OR | ON | 2009/01/11 14:07 |
| S106 | 0 | S101 and horizontal | USPAT | OR | ON | 2009/01/11 14:07 |
| S107 | 0 | S101 and vertical | USPAT | OR | ON | 2009/01/11 14:07 |
| S108 | 0 | S101 and sam | USPAT | OR | ON | 2009/01/11 14:11 |
| S109 | 0 | S101 and phasegram | USPAT | OR | ON | 2009/01/11 14:12 |
| S110 | 0 | S101 and tonagram | USPAT | OR | ON | 2009/01/11 14:12 |
| S111 | 0 | S101 and binagram | USPAT | OR | ON | 2009/01/11 14:12 |
| S112 | 25 | S2 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:13 |
| S113 | 16 | S2 and @ad< "20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:13 |
| S114 | 0 | \$113 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S115 | 0 | S113 and (encod\$4 or encode) and latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S116 | 4 | \$113 and (encod\$4 or encode) and image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S117 | О | S116 and(generates or obtaining) and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:16 |

| S118 | 0 | S116 and photomask | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:18 |
|------|---|---|---|----|----|---------------------|
| S119 | 0 | S116 and lithography | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S120 | О | S116 and(generates or obtaining)same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S121 | О | S116 and(generates or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S122 | 0 | \$116 and(registrat\$3 or alignm \$3)and pattern | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:20 |
| S123 | 0 | S116 and photomask | USPAT | OR | ON | 2009/01/11 14:21 |
| S124 | 0 | S116 and lithography | USPAT | OR | ON | 2009/01/11 14:21 |
| S125 | 0 | S116 and (wet or dry) and etching | USPAT | OR | ON | 2009/01/11 14:22 |
| S126 | 0 | S116 and optical adj contact | USPAT | OR | ON | 2009/01/11 14:22 |
| S127 | 1 | S116 and project\$3 adj system | USPAT | OR | ON | 2009/01/11 14:23 |
| S128 | 0 | S127 and embossing adj die | USPAT | OR | ON | 2009/01/11 14:23 |
| S129 | 0 | S127 and electroplating | USPAT | OR | ON | 2009/01/11 14:24 |
| S130 | 0 | S127 and pixellated | USPAT | OR | ON | 2009/01/11 14:24 |
| S131 | 1 | S127 and diffract\$3 | USPAT | OR | ON | 2009/01/11 14:25 |
| S132 | 0 | S127 and grating | USPAT | OR | ON | 2009/01/11 14:26 |
| S133 | 0 | S101 and(track-line or track adj line) | USPAT | OR | ON | 2009/01/11 14:26 |
| S134 | 0 | S111 and regular adj array | USPAT | OR | ON | 2009/01/11 14:27 |
| S135 | 0 | S131 and grating | USPAT | OR | ON | 2009/01/11 14:27 |

| S136 | 0 | S131 and rectangular adj array | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:29 |
|------|-----|---|---|----|-----|---------------------|
| S137 | 0 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1 and(registrat \$3 or align\$4) adj pattern and reflection and observation adj angle and light adj source). CLM. | US-PGPUB | OR | O C | 2009/01/11 14:41 |
| S138 | O | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1 and(registra \$3 or align\$4) adj pattern and primary adj pattern and secondary adj pattern and reflection and observation adj angle and light adj source). CLM. | US-PGPUB | OR | O | 2009/01/11 14:43 |
| S139 | 1 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1).CLM. | US-PGPUB | OR | ON | 2009/01/11 14:43 |
| S140 | 129 | (("(6373965") or ("6859534") or ("2005123134") or ("6859534") or ("2005052324") or ("2005052324") or ("2005052324") or ("200505201") or ("2004264737") or ("2004264737") or ("5735547") or ("503518450") or ("572683") or ("572683") or ("5726838") or ("5726839") or ("5726839") or ("4684593") or ("4684593") or ("4684593") or ("4688597") or ("4684593") or ("6826297") or ("6826297") or ("6826297") or ("6826297") or ("6826297") or ("5374976") or ("5374976") or ("5374976") or ("5374976") or ("536659") or ("5360457") or ("5374976") or ("5178418") or ("4897802") or ("6886873") or ("6088181") or ("68826873") or ("6088181") or ("68826873") or ("6088181") or ("5825637") or ("6184269") or ("5202010610200") or ("6198458") or ("6014500") or ("57347852") or ("5784200") or ("5403040") or | US-PGPUB; US-PGPUB; US-PGPUB; JPO; DEFWMENT; IBM_TDB | OR | OFF | 2009/01/11 |

| | *************************************** | ("20020041712") or ("5708717") or ("4914700") or ("20040188528") or ("20030228014") or ("2004001611") or ("2002136429") or ("5790703). pn.")).FN. | | | | |
|------|---|---|---|----|----|---------------------|
| S141 | 0 | S140 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:05 |
| S142 | 0 | S140 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:05 |
| S143 | 117 | \$140 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:06 |
| S144 | 0 | S143 and(encod\$4 or encode) and latent adj image\$1 and (registrat\$3 or align\$4)adj pattern and reflection and observation adj angle and light adj source | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:08 |
| S145 | 30 | S143 and(encod\$4 or encode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:08 |
| S146 | 10 | S145 and(registrat\$3 or alignm \$3)and pattern | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:09 |
| S147 | 0 | S146 and(generates or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:09 |
| S148 | 0 | S146 and(generat\$4 or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:10 |
| S149 | 9 | S146 and @ad< "20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:10 |

| S150 | 4 | S116 and @ad< "20030707" | US-PGPUB; | OR | ON | 2009/01/11 |
|------|---|--------------------------|-------------|----|----|------------|
| | | | USPAT; EPO; | | | 15:19 |
| | | | JPO; | | | |
| | | | DERWENT; | | | |
| | | | IBM TDB | | | |

^{1/16/09 4:11:30} PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 2278.wsp